



## I. Product Description

**Sta Lube® Bar & Chain Lubricant** is a very tacky lubricant made from special high viscosity base oils having the desired flow and pumping properties to assure adequate lubrication over a wide range of ambient temperatures.

## II. Applications

Recommended for all types of chain saws using either hand-operated or automatic chain oilers.

## III. Features & Benefits

- Will cling in extreme heat and high speeds.
- Flows in freezing temperature.
- Reduces wear and extends life of bar and chain.

## IV. Physical Properties

Flash Point	≥325 °F COC	Boiling Point (initial)	>600 °F
Odor	Faint Petroleum	Solubility	Negligible
Appearance	Clear red liquid	% Volatile	Negligible
Vapor Density	> Air	Specific Gravity	.91
Prop 65	No	Vapor Pressure	Negligible
Sara Title III, Sect. 313 Chemicals	No	VOC	3%

## V. Specifications and Approvals

ASTM D-92 Flash Point, °F	≥ 325
ASTM D-97 Pour Point	0° F
ASTM D-445 Viscosity @ 40° C, cSt	85

## VI. Directions

- Fill to manufacturer recommendations.
- **DO NOT USE IN INTERNAL COMBUSTION ENGINES. FOR EXTERNAL LUBRICATION ONLY.**

## ***VII. Disposal***

Disposal requirements vary by state and local jurisdiction. All used and unused product should be disposed of in conformance with local, state and federal regulations.

## ***VIII. Special Use Warnings***

### **General**

Use only in well-ventilated area. Ventilation may be improved by opening a window or door or providing mechanical assistance. Avoid continuous breathing of vapor and spray mist. Avoid contact with skin and eyes. If ventilation is not adequate, respiratory protection should be worn. For more information regarding short term and long term exposure, review this product's Material Safety Data Sheet.

**DISCLAIMER:** This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. All products should be tested for suitability on a particular application prior to actual use. CRC Industries, Inc. makes no representations or warranties of any kind concerning this data.

*CRC Industries, Inc.*  
Technical Service: (800)521-3168

*Sta-Lube Products Division*  
Customer Service: (800)272-8963

*Warminster, PA 18974*  
CRC On-Line: (215)442-6260