## **Section 1: Product & Company Identification**

Product Name: MUO Chlor-Free® Non-Chlorinated Degreaser (aerosol)

Product Number (s): 03985

**Product Use:** General Purpose Degreaser for Manufacturing Use Only

**Manufacturer / Supplier Contact Information:** 

<u>In United States</u>: <u>In Canada</u>: <u>In Mexico</u>:

CRC Industries, Inc.

CRC Canada Co.

CRC Industries Mexico

2-1246 Lorimar Drive

Av. Benito Juárez 4055 G

Warminster, PA 18974 Mississauga, Ontario L5S 1R2 Colonia Orquídea

<u>www.crcindustries.com</u> <u>www.crc-canada.ca</u> San Luís Potosí, SLP CP 78394 1-215-674-4300(General) 1-905-670-2291 <u>www.crc-mexico.com</u>

1-215-674-4300(General) 1-(800) 521-3168 (Technical)

(800) 272-4620 (Customer Service)

24-Hr Emergency - CHEMTREC: (800) 424-9300 or (703) 527-3887

### Section 2: Hazards Identification

### **Emergency Overview**

**DANGER:** Extremely Flammable. Harmful or Fatal if Swallowed. Contents Under Pressure.

Appearance & Odor: Clear, water-white liquid, mild solvent odor

#### **Potential Health Effects:**

**ACUTE EFFECTS:** 

EYE: May cause mild eye irritation. Symptoms include stinging, tearing, and redness.

SKIN: Can cause skin irritation. Prolonged or repeated contact may dry the skin. Symptoms include

redness, burning, and drying and cracking of skin, burns and other skin damage. Passage of this material through the skin is possible, but it is unlikely to result in harmful effects during safe handling

52-444-824-1666

and use.

INHALATION: Breathing small amounts of this material during normal handling is not likely to cause harmful effects.

Breathing large amounts may be harmful. Symptoms usually include nose and throat irritation and

central nervous system depression (dizziness, drowsiness, weakness, nausea, headache,

unconsciousness).

INGESTION: Swallowing small amounts of this material during normal handling is not likely to cause harmful effects.

Swallowing large amounts may be harmful. This material can get into the lungs during swallowing or

vomiting and can result in lung inflammation and other lung injury.

CHRONIC EFFECTS: None known

TARGET ORGANS: liver, kidney

Medical Conditions Aggravated by Exposure: pre-existing skin conditions, lung conditions

See Section 11 for toxicology and carcinogenicity information on product ingredients.

Product Number (s): 03985

## Section 3: Composition/Information on Ingredients

COMPONENT	CAS NUMBER	% by Wt.	
Cyclohexane	110-82-7	70 – 80	
Ethanol	64-17-5	8 - 13	
Hexane isomers	64742-49-0 / 107-83-5	5 – 10	
Methanol	67-56-1	< 4	
n-Hexane	110-54-3	< 1	
Carbon dioxide	124-38-9	2 - 6	

### **Section 4: First Aid Measures**

Eye Contact: Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists.

Skin Contact: Remove contaminated clothing and wash affected area with soap and water. Call a physician if

irritation persists. Wash contaminated clothing prior to re-use.

Inhalation: Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If

breathing is difficult give oxygen. Call a physician.

Ingestion: Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth;

place individual on the left side with the head down.

Note to Physicians: This material is an aspiration hazard. Potential danger from aspiration must be weighed against

possible oral toxicity when deciding whether to induce vomiting.

# **Section 5: Fire-Fighting Measures**

Flammable Properties: This product is extremely flammable in accordance with aerosol flammability definitions.

(See 16 CFR 1500.3(c)(6)).

Flash Point: < 0° / -17°C (TCC) Upper Explosive Limit:

Autoignition Temperature: 500°F / 260°C Lower Explosive Limit: 1.3

Fire and Explosion Data:

Suitable Extinguishing Media: Class B fire extinguishers, carbon dioxide, dry chemical, regular foam

Products of Combustion: Oxides of carbon, various hydrocarbons

Explosion Hazards: Aerosol containers, when exposed to heat from fire, may build pressure and explode. Vapors

may accumulate in a confined space and create a flammable atmosphere.

Protection of Fire-Fighters: Firefighters should wear self-contained, NIOSH-approved breathing apparatus for

protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Use water spray to keep fire-exposed containers cool

8.3

and to knock down vapors which may result from product decomposition.

### Section 6: Accidental Release Measures

Personal Precautions: Use personal protection recommended in Section 8.

Product Number (s): 03985

Environmental Precautions: Take precautions to prevent contamination of ground and surface waters. Do not flush into

sewers or storm drains.

Methods for Containment & Clean-up: Remove sources of ignition. Dike area to contain spill. Ventilate the area with

fresh air. If in confined space or limited air circulation area, clean-up workers should wear appropriate respiratory protection. Recover or absorb spilled material using an absorbent designed for chemical spills. Place used

absorbents into proper waste containers.

## Section 7: Handling and Storage

Handling Procedures: Do not use near sources of ignition including static ignition hazards. Use with proper ventilation.

Wash hands after use and before contacting food. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. For product use instructions, please see the

product label.

Storage Procedures: Store in a cool dry area out of direct sunlight. Aerosol cans must be maintained below 120°F /

49°C to prevent cans from rupturing.

Aerosol Storage Level: III

# **Section 8: Exposure Controls/Personal Protection**

#### **Exposure Guidelines:**

	(	OSHA		ACGIH		OTHER	
COMPONENT	TWA	STEL	TWA	STEL	TWA	SOURCE	UNIT
Cyclohexane	300	NE	100	NE	NE		ppm
Ethanol	1000	NE	1000	NE	NE		ppm
Hexane isomers	500	1000 (v)	500	1000	NE		ppm
Methanol	200	NE	200 (s)	250 (s)	NE		ppm
n-Hexane	500	NE	50 (s)	NE	NE		ppm
Carbon dioxide	5000	30000(v)	5000	30,000	NE		ppm
N.E. – Not Established (c) – ceiling (s) – skin (v) – vacated							

#### **Controls and Protection:**

Engineering Controls: Area should have ventilation to provide fresh air. Local exhaust ventilation is generally

preferred because it can control the emissions of the contaminant at the source, preventing dispersion into the general work area. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA

regulations.

Respiratory Protection: None required for normal work where adequate ventilation is provided. If engineering controls

are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with organic vapor cartridge. Air monitoring is needed to determine actual employee exposure levels. Use a self-contained breathing apparatus in confined spaces and

for emergencies.

Eye/face Protection: For normal conditions, wear safety glasses. Where there is reasonable probability of liquid

contact, wear splash-proof goggles.

Skin Protection: Use protective gloves such as natural rubber. Also, use full protective clothing if there is

prolonged or repeated contact of liquid with skin.

Product Number (s): 03985

# **Section 9: Physical and Chemical Properties**

Physical State: liquid
Color: clear, water-white
Odor: mild solvent
Odor Threshold: ND
Specific Gravity: 0.767
Initial Boiling Point: 179°F / 82°C

Freezing Point: ND Vapor Pressure: ND

Vapor Density: >1 (air = 1)

Evaporation Rate: Fast

Solubility: negligible in water

Coefficient of water/oil distribution: ND

pH: NA

Volatile Organic Compounds: wt %: 96 g/L: 736.3 lbs./gal: 6.13

# **Section 10: Stability and Reactivity**

Stability: Stable

Conditions to Avoid: Temperature extremes, sources of ignition

Incompatible Materials: Strong oxidizing agents

Hazardous Decomposition Products: Oxides of carbon, various hydrocarbons

Possibility of Hazardous Reactions: No

# **Section 11: Toxicological Information**

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

#### **Acute Toxicity:**

Component	Oral LD50 (rat)	Dermal LD50 (rabbit)	Inhalation LC50 (rat)
Cyclohexane	12,705 mg/kg	> 2.0 g/kg	> 4044 ppm
Ethanol	7060 mg/kg	No data	20,000 ppm/10H
Hexane isomers	> 15,000 mg/kg	> 2000 mg/kg	No data
Methanol	5600 mg/kg	15,800 mg/kg	81,000 mg/m <sup>3</sup> /14H
n-Hexane	28,710 mg/kg	3000 mg/kg	48,000 ppm/4H
Carbon dioxide	No data	No data	470,000 ppm/30M

### **Chronic Toxicity:**

	OSHA	IARC	NTP		
<u>Component</u>	Carcinogen	Carcinogen	Carcinogen	<u>Irritant</u>	Sensitizer
Cyclohexane	No	No	No	No	Unknown
Ethanol	No	No	No	eye	Unknown
Hexane isomers	No	No	No	No	Unknown
Methanol	No	No	No	eye, skin	Unknown
n-Hexane	No	No	No	eye, skin, respiratory	Unknown
Carbon dioxide	No	No	No	No	No

Product Number (s): 03985

Reproductive Toxicity:
Teratogenicity:
Mutagenicity:
Synergistic Effects:
No information available
No information available
No information available

## **Section 12: Ecological Information**

Ecological studies have not been conducted for this product. The following information is available for components of this product.

Ecotoxicity: n-hexane - 48 Hr EC50 water flea: 3.87 mg/L

96 Hr LC50 Lepomis macrochirus: 4.12 mg/L

Persistence / Degradability:
Bioaccumulation / Accumulation:
Mobility in Environment:

No information available
No information available

## **Section 13: Disposal Considerations**

Waste Classification: The dispensed liquid product is a hazardous waste for the characteristic of ignitability (D001).

(See 40 CFR Part 261.20 – 261.33) Liquid should be captured and managed as a hazardous

waste. Empty aerosol containers may be recycled.

All disposal activities must comply with federal, state, provincial and local regulations. Local regulations may be more stringent than state, provincial or national requirements.

## Section 14: Transport Information

US DOT (ground): UN1950, Aerosols, flammable, 2.1, Limited Quantity\*\*

ICAO/IATA (air): UN1950, Aerosols, flammable, 2.1, Limited Quantity

IMO/IMDG (water): UN1950, Aerosols, 2.1, Limited Quantity

Special Provisions: \*\*This product can be classified and labeled as 'Consumer Commodity, ORM-D' for domestic

ground shipping until January 1, 2014.

If shipping as limited quantity by ground, note that shipping papers are not required.

## **Section 15: Regulatory Information**

#### **U.S. Federal Regulations:**

<u>Toxic Substances Control Act (TSCA)</u>:

All ingredients are either listed on the TSCA inventory or are exempt.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Reportable Quantities (RQ's) exist for the following ingredients: cyclohexane (1000 lbs), methanol (5000 lbs),

n-hexane (5000 lbs)

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Superfund Amendments Reauthorization Act (SARA) Title III:

Product Number (s): 03985

Section 302 Extremely Hazardous Substances (EHS): None

Section 311/312 Hazard Categories: Fire Hazard Yes

Reactive Hazard No Release of Pressure Yes Acute Health Hazard Yes Chronic Health Hazard No

Section 313 Toxic Chemicals: This product contains the following substances subject to the reporting requirements

of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of

1986 and 40 CFR Part 372:

cyclohexane (< 75%), methanol (< 4%), n-hexane (< 1%)

Clean Air Act:

Section 112 Hazardous Air Pollutants (HAPs): methanol, n-hexane

Occupational Safety and Health Administration (OSHA):

This product is regulated under the Hazard Communication Standard.

**U.S. State Regulations:** 

California Safe Drinking Water and Toxic Enforcement Act (Prop 65):

This product may contain the following chemicals known to the state of California to cause cancer, birth defects or other reproductive harm:

Methanol, Methyl isobutyl Ketone (0.1%)

Consumer Products VOC Regulations: In states with Consumer Product VOC regulations, this product is Not for Retail

Sale. This product is for use in the manufacturing process only.

State Right to Know:

New Jersey: 110-82-7, 64-17-5, 67-56-1, 110-54-3, 124-38-9 Pennsylvania: 110-82-7, 64-17-5, 67-56-1, 110-54-3, 124-38-9 Massachusetts: 110-82-7, 64-17-5, 67-56-1, 110-54-3, 124-38-9 Rhode Island: 110-82-7, 64-17-5, 67-56-1, 110-54-3, 124-38-9

**Canadian Regulations:** 

Controlled Products Regulations:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Hazard Class: A, B5, D1B, D2A, D2B

Canadian DSL Inventory: All ingredients are either listed on the DSL Inventory or are exempt.

**European Union Regulations:** 

RoHS Compliance: This product is compliant with Directive 2002/95/EC of the European Parliament and of the

Council of 27 January 2003. This product does not contain any of the restricted substances as

listed in Article 4(1) of the RoHS Directive.


Additional Regulatory Information: None

Product Number (s): 03985

### **Section 16: Other Information**

HMIS® (II)		
Health:	2	
Flammability:	3	
Reactivity:	0	
PPE:	В	

Ratings range from 0 (no hazard) to 4 (severe hazard)



Prepared By: Michelle Rudnick

CRC #: 463A/C Revision Date: 8/13/2012

Changes since last revision: Section 14: Transport Information

Section 15: Prop 65 & WHMIS

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this MSDS consult your supervisor, a health & safety professional, or CRC Industries.

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Service
CFR: Code of Federal Regulations
DOT: Department of Transportation
DSL: Domestic Substance List

g/L: grams per Liter

HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer

IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
IMDG: International Maritime Dangerous Goods
IMO: International Maritime Organization

lbs./gal: pounds per gallon LC: Lethal Concentration

LD: Lethal Dose

NA: Not Applicable ND: Not Determined

NIOSH: National Institute of Occupational Safety & Health

NFPA: National Fire Protection Association NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PMCC: Pensky-Martens Closed Cup PPE: Personal Protection Equipment

ppm: Parts per Million

RoHS: Restriction of Hazardous Substances

STEL: Short Term Exposure Limit

TCC: Tag Closed Cup
TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Information

System